AMENDMENTS TO THE CLAIMS:

This listing of claims will replace all prior versions, and listings, of claims in the application:

- 1-5. (Cancelled) w/o prejudice
- 6. (Original) A novel hapten for raising antibodies to 3- chlorotyrosine, said hapten comprising 3-(3-chloro-4-hydroxy-benzyl)-6-mercaptomethyl-piperazine—2,5-dione.
- 7. (Original) A neoantigen for raising antibodies to 3-chiorotyrosine comprising a carrier protein bound to the hapten of Claim 6 by way of a covalent linkage.
- 8. (Original) The neoantigen of Claim 7, wherein the carrier protein is selected from the group consisting of bovine serum albumin, keyhole limpet hemocyanin and thyroglobulin.
- 9. (Original) The neoantigen of Claim 7, wherein the covalent linkage includes a sulfur atom.
- 10. (Currently Amendment) A method for raising antibodies to 3-chiorotyrosine comprising injeding a laboratory animal, the use-of an antigen formed by covalently linking 3-(3-chloro-4-hydroxy-benzyl)-6-mercaptomethyl-piperazine-2,5-dione to a carrier protein and thereinafter, collecting the antisera.
- 11. (Original) The method of Claim 10, wherein the carrier protein is selected from the group consisting of bovine serum albumin, keyhole limpet hemocyanin and thyroglobulin.
- 12. (Currently Amendment) A method for raising antibodies to 3-chlorotyrosine comprising using an injecting a laboratory animal with antigen formed by covalently linking Nacetyl-3- chlorotyrosine to a carrier protein and thereinafter, collecting the antisera.
 - (Cancelled)
- 14. (Original) The method of Claim 12, wherein the carrier protein is selected from the group consisting of bovine serum albumin, keyhole limpet hemocyanin and thyroglobulin.
- 15. (Currently Amendment) A method for raising antibodies to 3-chlorotyrosine comprising injecting a laboratory animal with using an antigen formed by covalently linking N-acetyl-3, 5-dichlorotyprosine dichlorotyrosine to a carrier protein and thereinafter, collecting the antisera.